



2026

Minimum & Maximum Size Limitations

CHECK WINCORDERS FOR TEMPERED/TRIPLE PANE LIMITATIONS AND MORE

WINCORE	
Double Hung Window	
6000	
Width (Min)	Height (Min)
17"	24"
Width (Max)	Height (Max)
56"	90"

WINCORE	
3-Lite Slider ($\frac{1}{3}$ - $\frac{1}{3}$ - $\frac{1}{3}$)	
6000	
Width (Min)	Height (Min)
50"	17"
Width (Max)	Height (Max)
120"	72"

WINCORE	
Picture Window	
6000	
Width (Min)	Height (Min)
12"	13.5"
Width (Max)	Height (Max)
96"	72"

WINCORE	
3-Lite Slider ($\frac{1}{4}$ - $\frac{1}{2}$ - $\frac{1}{4}$)	
6000	
Width (Min)	Height (Min)
50"	17"
Width (Max)	Width (Max)
= 144"	48"
≤ 132"	54"
≤ 120"	72"

WINCORE	
2-Lite Slider Window	
6000	
Width (Min)	Height (Min)
24"	17"
Width (Max)	Height (Max)
96"	72"

WINCORE	
Single Casement Window	
6000	
Width (Min)	Height (Min)
14"	17"
Width (Max)	Height (Max)
≤ 28"	80"
≤ 36"	72"

WINCORE	
Basement Hopper	
6000	
Width (Min)	Height (Min)
17"	14"
Width (Max)	Height (Max)
48"	32"

WINCORE	
Awning	
6000	
Width (Min)	Height (Min)
18.75"	14"
Width (Max)	Height (Max)
60"	32"



2026

Minimum & Maximum Size Limitations

AMI	
Double Hung Window	
2000 4000 6000	
Width (Min)	Height (Min)
12"	20"
Width (Max)	Height (Max)
52"	96"
Max Cannot Exceed 148" UI	

MI	
Double Hung Window	
1555 1650	
Width	Height
14" – 14 7/8"	36" – 84"
15" – 16"	28" – 84"
16 1/8" – 17"	26" – 84"
17 1/8" – 48"	23 1/2" – 84"
48 1/8" – 52 1/8"	23 1/2" – 63"

AMI	
Picture Window	
2000 4000 6000	
Width (Min)	Height (Min)
9"	9.5"
Width (Max)	Height (Max)
112"	112"
Min Cannot Be < 21" UI	
Max Cannot Exceed 154" UI	
<u>Picture Windows w/ Triple Pane:</u> Cannot Exceed 21.99 sq. ft. Longest Dimension Cannot Exceed 82" Shortest Dimension Cannot Exceed 60"	
<u>Picture Windows w/ OBS Glass:</u> Cannot Exceed 21.99 sq. ft. Longest Dimension Cannot Exceed 82" Shortest Dimension Cannot Exceed 60"	
<u>Glue Chip:</u> Shortest Dimension Cannot Exceed 47.5"	

MI	
Picture Window	
1555 1650	
Width	Height
11" – 60"	11" – 96"
60 1/16" – 68"	11" – 84"
68 1/16" – 72"	11" – 78"
72 1/16" – 78"	11" – 72"
78 1/16" – 84"	11" – 68"
84 1/16" – 96"	11" – 60"
<u>Picture Windows w/ Tempered Glass:</u> Cannot Exceed 21.99 sq. ft. Longest Dimension Cannot Exceed 84" Shortest Dimension Cannot Exceed 42"	
<u>Picture Windows w/ Laminated Glass:</u> Cannot Exceed 21.99 sq. ft. Longest Dimension Cannot Exceed 75" Shortest Dimension Cannot Exceed 63"	

AMI	
2-Lite Slider Window	
2000 4000 6000	
Width (Min)	Height (Min)
18.5"	11.25"
Width (Max)	Height (Max)
96"	72"
Max Cannot Exceed 156" UI	

MI	
2-Lite Slider Window	
1555 1650	
Width	Height
24 1/2" – 84"	15" – 63"
24 1/2" – 72"	15" – 72"
Max Cannot Exceed 132" UI	



2026

Minimum & Maximum Size Limitations

AMI	
3-Lite Slider Window	
2000 4000 6000	
Width (Min)	Height (Min)
44.5"	16.625"
Width (Max)	Height (Max)
120"	68"
Max Cannot Exceed 188" UI	

AMI	
Single Casement Window	
2000 4000 6000	
Width (Min)	Height (Min)
16"	19"
Width (Max)	Height (Max)
36"	78"
Max Cannot Exceed 114" UI	

AMI	
Awning Window	
2000 4000 6000	
Width (Min)	Height (Min)
16"	16"
Width (Max)	Height (Max)
48"	48"
Max Cannot Exceed 96" UI	

AMI	
Basement Hopper Window	
2000 4000 6000	
Width (Min)	Height (Min)
17"	12"
Width (Max)	Height (Max)
36"	36"
Max Cannot Exceed 55" UI	

MI	
3-Lite Slider Window	
1555 1650	
Width	Height
46 3/4" – 117 9/16"	15" – 63"
Max Cannot Exceed 178" UI	

MI	
Single Casement Window	
1555 1650	
Width	Height
16" – 36"	24" – 72"
Max Cannot Exceed 152" UI	

MI	
Awning Window	
1555 1650	
Width	Height
16" – 60"	12" – 40"
Max Cannot Exceed 96" UI	

MI	
Basement Hopper Window	
1555 1650	
Width	Height
15 3/4" – 40 3/4"	11 3/4" – 32"
Max Cannot Exceed 72" UI	